



Vishal Gupta M.D.
 Arvind Gopal M.D.
 Karl Mersich M.D.
 Kaleem Ahmed M.D.
 Dany Shamoun M.D.
 Jennifer Sinclair M.D.
 Rajiv Sharma M.D.
Board Certified in Gastroenterology

Colonoscopy Instructions Two Day Preparation (SUPREP/Miralax)

Procedure Date: _____ Follow Up: _____ Time: _____

*The facility will call you with the time 2 **business days** prior to your procedure date*

FACILITY	ADDRESS	PHONE#
ORANGE CITY SURGERY CENTER	975 Town Center Dr, Orange City FL	386-456-5247
LAKE MARY SURGERY CENTER	460 ST Charles Court, Lake Mary FL	407-585-0263
FHC PLANS SURGERY CENTER	2777 Enterprise Rd, Orange City FL	386-481-6289
FL HOSPITAL FISH MEMORIAL	1055 Saxon Blvd, Orange City FL	386-917-5000
CENTRAL FLORIDA REGIONAL HOSPITAL	1401 West Seminole Blvd, Sanford FL	888-894-2106
RINEHART SURGERY CENTER	392 Rinehart Rd Suite 1090, Lake Mary FL	321-363-9400

RINEHART SURGERY CENTER

***** If you've been vaccinated no COVID test is required *****

COVID-19 Testing is required before scheduled procedure, for those who have not yet been vaccinated. The surgery Center will contact you to set up this appointment.

INSTRUCTIONS:

- Continue taking routine medications, including blood pressure and heart medications.
- If diabetic, only take ½ of your usual dose the morning of procedure.
- Before stopping any blood thinner, please discuss with your prescribing provider.
- Hold Coumadin, Plavix, Effient, Brilinta for 5 days before your procedure.
- Hold Pradaxa, Eliquis, and Xarelto for 2 days before your procedure.
- **5 days** before, discontinue iron supplements, vitamins, or herbal supplements
- **5 days** before, do not take any: Aleve, Motrin, Naproxen, Ibuprofen – Tylenol is safe to use.
- **You must have a friend or family member drive you to and from the facility. NO FORM OF TAXI SERVICE IS PERMITTED.**

Purchase at the Pharmacy/Grocery Store:

- Gatorade, 64oz bottle or Crystal Light (Recommended for Diabetics) (No Dark Colors)
- **Miralax, 238g bottle**
- **Magnesium Citrate**
- **Dulcolax, 6 tablets**
- Baby wipes or Desitin (Optional)

Clear Liquids include the following:

- Soups:** Broth (chicken, beef or vegetable)
- Juices:** White grape juice, Apple etc.
- Desserts:** Jell-O, Italian Ice, Popsicles, etc.
- Sports Drinks:** Powerade, Gatorade, Propel
- Beverages:** Tea, Kool-aide, Water, Black Coffee

2884 Wellness Ave
 Orange City, FL 32763
 (386) 668-2221

929 N Spring Garden
 Ave Ste. 150
 DeLand, FL 32720
 (386) 469-7993

795 Primera Blvd, Ste. 1001
 Lake Mary, FL 32746
 (407) 749-6656



2 days BEFORE PROCEDURE:

Do Not Eat Any Solid Food for TWO Days Before The Procedure!

Have a clear liquid diet throughout both days. Avoid liquids that are red or purple in color such as red grape or cranberry juice. Avoid ALL dairy products and juices with pulp such as orange or grapefruit juice. You can drink **clear** liquids (**NO REDS/DARK COLORS**) until 3 hours before the procedure.

1. At 5:00PM , take 4 Dulcolax tablets with water.
2. At 5:30PM , drink 10 oz. bottle of Magnesium Citrate.
3. At 6:00pm , mix the entire 238g bottle of Miralax with the 64oz bottle of Gatorade or Crystal Lite in a pitcher. Shake the solution until the Miralax is dissolved. <i>Drink an 8 oz. glass every 10-15 minutes</i> until ½ of the solution is gone (drinking with a straw helps).
4. At 11:00PM , continue to drink an 8 oz. solution of the Miralax every 10-15 minutes until the rest of the solution is consumed.

On the day BEFORE PROCEDURE:

Do Not Eat Any Solid Food!

Have a clear liquid diet throughout both days. Avoid liquids that are red or purple in color such as red grape or cranberry juice. Avoid ALL dairy products and juices with pulp such as orange or grapefruit juice. You can drink **clear** liquids (**NO REDS/DARK COLORS**) until 3 hours before the procedure. At the 3-hour mark, nothing by mouth including water. You may take any necessary medications with a small sip of water **but no later than 3 hours prior to your procedure.**

If your procedure is before 12PM	If your procedure is After 12PM
1. At 5:00PM, pour (1) 6-ounce bottle of SUPREP liquid into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.	1. At 7:00PM, pour (1) 6-ounce bottle of SUPREP liquid into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.
2. Drink (2) more 16 ounce cups of water (or clear liquid) over the next 1 hour.	2. Drink (2) more 16 ounce cups of water (or clear liquid) over the next 1 hour.
3. At 11:00PM, pour (1) 6-ounce bottle of SUPREP liquid into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.	3. At 6:00 AM, pour (1) 6-ounce bottle of SUPREP liquid into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.
4. Drink (2) more 16 ounce cups of water (or clear liquid) over the next 1 hour.	4. Drink (2) more 16 ounce cups of water (or clear liquid) over the next 1 hour.



Gastroenterology
of Greater Orlando

Vishal Gupta M.D.
Arvind Gopal M.D.
Karl Mersich M.D.
Kaleem Ahmed M.D.
Dany Shamoun M.D.
Jennifer Sinclair M.D.
Rajiv Sharma M.D.
Board Certified in Gastroenterology

Please allow a 5 business day notice for cancellation or there will be a \$200 charge.

Cancellation Fees:

- Colonoscopy: \$200
- Endoscopy: \$200
- Flexible Sigmoidoscopy: \$200
- Interstim: \$200
- Capsule Endoscopy: \$100
- Anorectal Manometry: \$100
- Hemorrhoid Banding: \$20
- Follow Up: \$20

****Any procedure cancellations need to be made 5 business days prior to the scheduled date to avoid any cancellation fees. Follow up appointments need to be cancelled 2 business days prior****

Patient Name: _____ DOB: _____

Patient Signature: _____ Date: _____

2884 Wellness Ave
Orange City, FL 32763
(386) 668-2221

929 N Spring Garden
Ave Ste. 150
DeLand, FL 32720
(386) 469-7993

795 Primera Blvd, Ste. 1001
Lake Mary, FL 32746
(407) 749-6656